

Box Locker.



Locally
Made

Spec Sheet

Five
At
Heart

Multi-tier options that provide for all kinds of storage needs.



Five
At
Heart

The logo for 'Five At Heart' features the text 'Five At Heart' in a bold, black, sans-serif font. To the right of the text is a stylized heart shape composed of a black circle with five red lines radiating from its center, resembling a compass rose or a star.

Box Locker.



TOP VIEW

SIDE VIEW

FRONT VIEW

Material

E0 MR MDF door
(with extensive colour range)

E1 MR particleboard carcass

Moisture resistant base

Specification




(Y) 400mm (1'4") or 300 (1') width available

(X) High base option available in heights of 1910mm (6'3") and 2060mm (6'9")

(Z) Bulk head or 30 degree slope top
(Optional)

Choice of locking system

6 standard door configurations available



Box Locker Warranty and Technical Data

Warranty Information

Five At Heart's Box Lockers come with a standard 7 year warranty, effective from the handover date.

For the warranty period, we warrant that the equipment (and any materials) we supply will comply with the relevant standards at the date of installation.

This warranty is limited and may be excluded in part or in full in light of user damage or failure to install to Five At Heart specification.

We recommend a monthly visual inspection for signs of damage or need for cleaning.

Contact Five At Heart in the event of product damage.

Disclaimer

Images may differ from actual product and specifications may change without prior notice.

AUS, UK, CAN: manufactured to metric dimensions.

USA: manufactured to imperial dimensions.

Optional Configurations

Standard door configuration details

1. Long hanging with bag storage - 1 Door, with shelf at top or bottom (Door Height 1800mm)
2. Hanging lockers with bag storage - 2 doors (Door Height 900mm)
3. Large bag storage - 3 doors (Door Height 600mm)
4. Medium bag storage - 4 doors (Door Height 450mm)
5. Small bag storage - 5 doors (Door Height 360mm)
6. Small bag/handbag storage - 6 doors (Door Height 300mm)

Optional door configurations (**Fig 2**)

Installation Requirements

Lockers/auxiliary units require a minimum of 16mm (5/8") at the end of each nib wall for filler panels and 50mm (2") for corner fillers.

Maintenance Requirements

If any moving parts appear to be malfunctioning, discontinue use and contact Five At Heart.

Cleaning

For general care and maintenance, simply wipe away most spills or marks with a damp cloth, or wipe clean with non abrasive household cleaner.

Do not submerge product at any point.

Avoid scourers and abrasives as they will damage the surface.

Do not use waxes or polishing products as they dull the natural shine.




Fig 2 Optional door configurations

Five At Heart



Creating
spaces
for however
you Roll...



fiveatheart.com

Australia

(+61) 1300 769 332 or au_info@fiveatheart.com

North America

(+1) 888 218 3433 or na_info@fiveatheart.com

Europe

+44 (0)20 3137 1966 or eu_info@fiveatheart.com