

Easy Rider.

Locally
Made



Spec Sheet

Five
At
Heart

A locker specifically designed for the bike room.



**Five
At
Heart**

Easy Rider.



Product Performance

Designed for cycling shoes, helmets, small bags, bike lights, and personal items. So users can conveniently store them in the bike room.

Material

Laminated MDF door (AUS: E0 MR)
(with extensive colour range)

White particleboard carcass (AUS: E1 MR)

Moisture resistant base with black finish


Specification

Front & Rear Vents (Optional)


Choice of locking system

Bulkheads available at additional cost


TOP VIEW




SIDE VIEW



FRONT VIEW



ALL CONTENT REMAINS PROPERTY OF FIVE AT HEART PTY. LTD. MANUFACTURED PRODUCT DIMENSIONS MAY VARY FROM THOSE DOCUMENTED TO ALLOW TOLERANCE FOR INSTALLATION.



CIRCULAR PRODUCT

NO MODIFICATION TO LOCKER CARCASS
FROM STANDARD DIMENSIONS

Item	Item Description
Lock	
Door & Panel Colour	
Locker Carcass	16mm White MR Particleboard
Base Front Colour	
Door Edging	1 mm ABS Matching
Carcass Edging	1 mm ABS Black



Easy Rider

Project:

SHEET 1 of 1

P-

-DWG-

REV 1

SCALE: 1:15

DATE:	REV:	DWN:	CHK:	DESCR:

Easy Rider Warranty and Technical Data

Warranty Information

Five At Heart's Easy Rider comes with a standard 7 year warranty, effective from the handover date.

For the warranty period, we warrant that the equipment (and any materials) we supply will comply with the relevant standards at the date of installation.

This warranty is limited and may be excluded in part or in full in light of user damage or failure to install to Five At Heart specification.

We recommend a monthly visual inspection for signs of damage or need for cleaning.

Contact Five At Heart in the event of product damage.

Disclaimer

Images may differ from actual product and specifications may change without prior notice.

Manufactured to metric dimensions.

Installation Requirements

AUS: Lockers/auxiliary units require a minimum of 16mm at the end of each nib wall for filler panels and 50mm for corner fillers.

UK/Europe: Lockers/auxiliary units require a minimum of 25mm at the end of each nib wall for filler panels and 50mm for corner fillers.

Maintenance Requirements

If any moving parts appear to be malfunctioning, discontinue use and contact Five At Heart.

Cleaning

For general care and maintenance, simply wipe away most spills or marks with a damp cloth, or wipe clean with non abrasive household cleaner.

Do not submerge product at any point.

Avoid scourers and abrasives as they will damage the surface.

Do not use waxes or polishing products as they dull the natural shine.

Five At Heart



Creating
spaces
for however
you Roll...



fiveatheart.com

Australia
UK/Europe

1300 769 332 or au_info@fiveatheart.com
+44 (0) 020 3137 1966 or eu_info@fiveatheart.com