

The Pandora.



Spec Sheet



Official Patent and Design Numbers (either pending or granted)
Australian patent no. 2016101426 | Great Britain design no. 2555191

**Deceivingly simple,
this one's got all the
bells and whistles.**



**Five
At
Heart**

The Pandora.

Product Performance

Proprietary recessed base design provides 876mm of hanging height, ensuring garments have sufficient space to hang properly while maintaining a standard locker height of 2100mm.

A full-width hanging rail allows multiple garments to hang comfortably.

Each compartment includes integrated shoe storage for secure in-locker placement, without reducing garment hanging height.

A small, easily accessible personal shelf keeps wallets, phones, and keys within quick reach.

Coat hook on the back of the locker door provides additional hanging space.

Material

Laminated MDF door (AUS: E0 MR)
(with extensive colour range)

White particle board carcass (AUS: E1 MR)

Moisture resistant base with black finish

Specification

(Z) Locker Depth : 500 or 600mm

(X) Locker Width : 300 or 400mm


Front Door Vents (Optional)

Choice of locking system


Bulkheads available at additional cost




TOP VIEW



SIDE VIEW



FRONT VIEW



Pandora (3 Tier).

Product Performance

The top locker compartment provides dedicated hanging space with shoe storage, along with all the standard features of the Pandora.

The bottom locker is now split into two smaller box lockers, which are **not** for hanging garments but can be used for bags and smaller belongings.

While this option is great for increasing locker capacity, the primary purpose of lockers within changing rooms is to hang and store garments. For this reason, we recommend that a minimum of 85% of lockers within changing rooms provide garment hanging.

Material

Laminated MDF door (AUS: E0 MR)
(with extensive colour range)

White particle board carcass (AUS: E1 MR)

Moisture resistant base with black finish

Specification

(Z) Locker Depth : 500 or 600mm

(X) Locker Width : 300 or 400mm


Front Door Vents (Optional)

Choice of locking system


Bulkheads available at additional cost




TOP VIEW



SIDE VIEW



FRONT VIEW



Pandora Warranty and Technical Data

Warranty Information

Five At Heart's Pandora comes with a standard 7 year warranty, effective from the handover date.

For the warranty period, we warrant that the equipment (and any materials) we supply will comply with the relevant standards at the date of installation.

This warranty is limited and may be excluded in part or in full in light of user damage or failure to install to Five At Heart specification.

We recommend a monthly visual inspection for signs of damage or need for cleaning.

Contact Five At Heart in the event of product damage.

Disclaimer

Images may differ from actual product and specifications are subject to change without prior notice.

Manufactured to metric dimensions.

Installation Requirements

AUS: Lockers/auxiliary units require a minimum of 16mm at the end of each nib wall for filler panels and 50mm for corner fillers.

UK/Europe: Lockers/auxiliary units require a minimum of 25mm at the end of each nib wall for filler panels and 50mm for corner fillers.

Maintenance Requirements

If any moving parts appear to be malfunctioning, discontinue use and contact Five At Heart.

Cleaning

For general care and maintenance, simply wipe away most spills or marks with a damp cloth, or wipe clean with non abrasive household cleaner.

Do not submerge product at any point.

Avoid scourers and abrasives as they will damage the surface.

Do not use waxes or polishing products as they dull the natural shine.

Five At Heart



Creating
spaces
for however
you Roll...

fiveatheart.com

Australia
UK/Europe

1300 769 332 or au_info@fiveatheart.com
+44 (0) 020 3137 1966 or eu_info@fiveatheart.com

